

Roachdale NT Reserve (Kersbrook)

| | | AUS | SA | SL |
|---------------------------------------|----------------------------|-----|----|----|
| Acacia acinacea | Wreath Wattle | | | |
| A. continua | Thorn Wattle | | | U |
| A. myrtifolia | Narrow-leaf Myrtle Wattle | | | |
| A. paradoxa | Kangaroo Thorn | | | |
| A. pycnantha | Golden Wattle | | | |
| A. retinodes var. retinodes | Wirilda | | | |
| Acaena echinata | Sheep's Burr | | | |
| A. novae-zelandiae | Biddy-biddy | | | |
| Acianthus pusillus | Mosquito Orchid | | | |
| Acrotriche depressa | Native Currant | | | R |
| A. serrulata | Cushion Ground-berry | | | |
| Adiantum aethiopicum | Common Maiden-hair | | | |
| *Aira cupaniana | Small Hair-grass | | | |
| Alternanthera denticulata | Lesser Joyweed | | | U |
| Amyema miquelii | Box Mistletoe | | | |
| Aphelia gracilis | Slender Aphelia | | | R |
| A. pumilio | Dwarf Aphelia | | | |
| Arthropodium fimbriatum | Nodding Vanilla-lily | | | |
| A. strictum | Common Vanilla-lily | | | |
| Asperula conferta | Common Woodruff | | | |
| Astroloma conostephioides | Flame Heath | | | |
| A. humifusum | Cranberry Heath | | | |
| Austrodanthonia geniculata | Knead Wallaby-grass | | | |
| A. setacea | Small-flower Wallaby-grass | | | |
| Austrostipa mollis | Soft Spear-grass | | | |
| A. semibarbata | Fibrous Spear-grass | | | |
| *Avena barbata | Bearded Oat | | | |
| Baumea juncea | Bare Twig-rush | | | |
| Bossiaea prostrata | Creeping Bossiaea | | | |
| *Briza maxima | Large Quaking-grass | | | |
| *B. minor | Lesser Quaking-grass | | | |
| Brunonia australis | Blue Pincushion | | | |
| Bulbine bulbosa | Bulbine-lily | | | |
| Burchardia umbellata | Milkmaids | | | |
| Bursaria spinosa | Bursaria | | | |
| Caesia calliantha | Blue Grass-lily | | | |
| Caladenia behrii | Pink-lip Spider-orchid | E | E | E |
| C. carnea | Pink Fingers | | | |
| C. leptochila | Narrow-lip Spider-orchid | | | |
| C. prolata | Shy Caladenia | | | R |
| C. reticulata | Veined Spider-orchid | | | U |
| C. tentaculata | King Spider-orchid | | | |
| Callitris gracilis | Southern Cypress Pine | | | U |
| Calocephalus citreus | Lemon Beauty-heads | | | R |
| Calochilus robertsonii | Purplish Beard-orchid | | | |
| Calytrix tetragona | Common Fringe-myrtle | | | |
| Carex tereticaulis | Rush Sedge | | | |
| Cassytha glabella f. dispar | Slender Dodder-laurel | | | |
| C. pubescens | Downy Dodder-laurel | | | |
| Centrolepis aristata | Pointed Centrolepis | | | |
| C. strigosa ssp. strigosa | Hairy Centrolepis | | | |
| Chamaescilla corymbosa var. corymbosa | Blue Squill | | | |
| Cheilanthes austrotenuifolia | Annual Rock-fern | | | |
| C. sieberi ssp. sieberi | Narrow Rock-fern | | | R |
| Cheiranthra alternifolia | Hand-flower | | | |
| Chorizandra enodis | Black Bristle-rush | | | |
| Comesperma calymega | Blue-spike Milkwort | | | |

Roachdale NT Reserve (Kersbrook)

| | | | | |
|---|---------------------------|--|---|---|
| <i>Corybas diemenicus</i> | Veined Helmet-orchid | | | |
| <i>C. incurvus</i> | Slaty Helmet-orchid | | | U |
| <i>Cotula australis</i> | Common Cotula | | | |
| <i>Crassula closiana</i> | Stalked Crassula | | | |
| <i>C. decumbens</i> var. <i>decumbens</i> | Spreading Crassula | | | |
| <i>C. sieberiana</i> complex | Australian Stonecrop | | | |
| <i>Cymbonotus preissianus</i> | Austral Bear's-ear | | | U |
| <i>Cynoglossum suaveolens</i> | Sweet Hound's-tongue | | | U |
| * <i>Cynosurus echinatus</i> | Rough Dog's-tail Grass | | | |
| <i>Cyperus gunnii</i> ssp. <i>gunnii</i> | Flecked Flat-sedge | | | U |
| <i>C. tenellus</i> | Tiny Flat-sedge | | | |
| <i>Cyrtostylis reniformis</i> | Small Gnat-orchid | | | |
| <i>Daucus glochidiatus</i> | Native Carrot | | | |
| <i>Daviesia brevifolia</i> | Leafless Bitter-pea | | | |
| <i>D. leptophylla</i> | Narrow-leaf Bitter-pea | | | |
| <i>Dianella revoluta</i> var. <i>revoluta</i> | Black-anther Flax-lily | | | |
| <i>Dillwynia hispida</i> | Red Parrot-pea | | | |
| <i>Diuris orientis</i> | Wallflower Donkey-orchid | | | |
| <i>D. pardina</i> | Spotted Donkey-orchid | | | |
| <i>Drosera auriculata</i> | Tall Sundew | | | |
| <i>D. glanduligera</i> | Scarlet Sundew | | | |
| <i>D. macrantha</i> ssp. <i>planchonii</i> | Climbing Sundew | | | |
| <i>D. peltata</i> | Pale Sundew | | | |
| <i>D. whittakeri</i> ssp. <i>whittakeri</i> | | | | |
| * <i>Erica arborea</i> | Tree Heath | | | |
| <i>Eriochilus cucullatus</i> | Parson's Bands | | | |
| <i>Eucalyptus camaldulensis</i> var. <i>camaldulensis</i> | River Red Gum | | | |
| <i>E. fasciculosa</i> | Pink Gum | | R | |
| <i>E. leucoxyloides</i> ssp. <i>leucoxyloides</i> | South Australian Blue Gum | | | |
| <i>E. obliqua</i> | Messmate Stringybark | | | |
| <i>Euchiton collinus</i> | Creeping Cudweed | | | |
| <i>Exocarpos cupressiformis</i> | Native Cherry | | | |
| <i>Galium gaudichaudii</i> | Rough Bedstraw | | | |
| <i>Genoplesium rufum</i> | Red Midge-orchid | | | |
| <i>Geranium retrorsum</i> | Grassland Geranium | | | |
| <i>Glossodia major</i> | Purple Cockatoo | | | |
| <i>Gonocarpus elatus</i> | Hill Raspwort | | | |
| <i>G. mezianus</i> | Broad-leaf Raspwort | | | |
| <i>G. tetragynus</i> | Small-leaf Raspwort | | | |
| <i>Goodenia blackiana</i> | Native Primrose | | | |
| <i>G. geniculata</i> | Bent Goodenia | | | |
| <i>Grevillea lavandulacea</i> ssp. <i>lavandulacea</i> | Spider-flower | | | |
| <i>Hakea carinata</i> | Erect Hakea | | | |
| <i>H. rostrata</i> | Beaked Hakea | | | |
| <i>H. rugosa</i> | Dwarf Hakea | | | |
| <i>Haloragis heterophylla</i> | Variable Raspwort | | | U |
| <i>Helichrysum scorpioides</i> | Button Everlasting | | | |
| <i>Hibbertia exutiacies</i> | Prickly Guinea-flower | | | |
| <i>H. crinita</i> | Silky Guinea-flower | | | |
| | | | | |
| <i>Hybanthus floribundus</i> ssp. <i>floribundus</i> | Shrub Violet | | | |
| <i>Hydrocotyle callicarpa</i> | Tiny Pennywort | | | |
| <i>H. foveolata</i> | Yellow Pennywort | | | |
| <i>H. laxiflora</i> | Stinking Pennywort | | | |
| <i>Hypericum gramineum</i> | Small St John's Wort | | | |
| <i>Hypoxis glabella</i> var. <i>glabella</i> | Tiny Star | | | |
| <i>H. vaginata</i> var. <i>vaginata</i> | Yellow Star | | | |
| <i>Isoetes drummondii</i> ssp. <i>drummondii</i> | Plain Quillwort | | R | R |

Roachdale NT Reserve (Kersbrook)

| | | | | |
|--|------------------------|--|---|---|
| <i>Isolepis cernua</i> | Nodding Club-rush | | | |
| <i>I. fluitans</i> | Floating Club-rush | | | U |
| <i>I. hookeriana</i> | Grassy Club-rush | | | R |
| <i>Ixodia achillaeoides</i> ssp. <i>alata</i> | Hills Daisy | | | |
| <i>Juncus bufonius</i> | Toad Rush | | | |
| <i>J. holoschoenus</i> | Joint-leaf Rush | | | |
| <i>J. pallidus</i> | Pale Rush | | | |
| <i>J. sarophorus</i> | | | | |
| <i>J. subsecundus</i> | Finger Rush | | | |
| <i>Kennedia prostrata</i> | Scarlet Runner | | | |
| <i>Lagenophora huegelii</i> | Coarse Bottle-daisy | | | |
| <i>Lepidosperma curtisiae</i> | Little Sword-sedge | | | |
| <i>L. semiteres</i> | Wire Rapier-sedge | | | |
| <i>Leptoceras menziesii</i> | Hare Orchid | | | |
| <i>Leptorhynchos squamatus</i> ssp. <i>squamatus</i> | Scaly Buttons | | | |
| <i>Leptospermum continentale</i> | Prickly Tea-tree | | | |
| <i>L. myrsinoides</i> | Heath Tea-tree | | | |
| <i>Leucopogon virgatus</i> var. <i>virgatus</i> | Common Beard-heath | | | |
| <i>Levenhookia dubia</i> | Hairy Stylewort | | | |
| <i>L. pusilla</i> | Tiny Stylewort | | | |
| <i>Lissanthe strigosa</i> ssp. <i>subulata</i> | Peach Heath | | | |
| <i>Lobelia gibbosa</i> | Tall Lobelia | | | |
| <i>Lomandra densiflora</i> | Soft Tussock Mat-rush | | | |
| <i>L. micrantha</i> ssp. <i>tuberculata</i> | Small-flower Mat-rush | | | |
| <i>L. multiflora</i> ssp. <i>dura</i> | Hard Mat-rush | | | |
| <i>L. nana</i> | Small Mat-rush | | | |
| <i>Lysiana exocarpi</i> ssp. <i>exocarpi</i> | Harlequin Mistletoe | | | |
| <i>Microlaena stipoides</i> var. <i>stipoides</i> | Weeping Rice-grass | | | |
| <i>Microseris lanceolata</i> | Yam Daisy | | | |
| <i>Microtis atrata</i> | Yellow Onion-orchid | | R | R |
| <i>M. parviflora</i> | Slender Onion-orchid | | | U |
| <i>M. unifolia</i> complex | Onion-orchid | | | |
| <i>Millotia tenuifolia</i> var. <i>tenuifolia</i> | Soft Millotia | | | |
| <i>Montia australasica</i> | White Purslane | | R | V |
| <i>M. fontana</i> ssp. <i>chondrosperma</i> | Waterblinks | | V | V |
| <i>Neurachne alopecuroidea</i> | Fox-tail Mulga-grass | | | |
| * <i>Olea europaea</i> ssp. <i>europaea</i> | Olive | | | |
| <i>Olearia grandiflora</i> | Mount Lofty Daisy-bush | | | U |
| <i>O. ramulosa</i> | Twiggy Daisy-bush | | | |
| <i>Opercularia ovata</i> | Broad-leaf Stinkweed | | | U |
| <i>Oxalis perennans</i> | Native Sorrel | | | |
| <i>Persoonia juniperina</i> | Prickly Geebung | | | U |
| <i>Phyllangium divergens</i> | Wiry Mitrewort | | | |
| <i>Pimelea humilis</i> | Low Riceflower | | | |
| <i>P. linifolia</i> ssp. <i>linifolia</i> | Slender Riceflower | | | |
| <i>Plantago hispida</i> | Hairy Plantain | | | |
| <i>P. varia</i> complex | Native Plantain | | | |
| <i>Platylobium obtusangulum</i> | Holly Flat-pea | | | |
| <i>Poa clelandii</i> | Matted Tussock-grass | | | |
| <i>Pterostylis alata</i> | Tall Shell-orchid | | | R |
| <i>P. biseta</i> | Two-bristle Greenhood | | | K |
| <i>P. nana</i> | Dwarf Greenhood | | | |
| <i>P. nutans</i> | Nodding Greenhood | | | |
| <i>P. pedunculata</i> | Maroon-hood | | | |
| <i>P. sanguinea</i> | Blood Greenhood | | | |
| <i>Pultenaea daphnoides</i> | Large-leaf Bush Pea | | | |
| <i>P. hispidula</i> | Rusty Bush-pea | | | R |
| <i>P. largiflorens</i> | Twiggy Bush-pea | | | |

Roachdale NT Reserve (Kersbrook)

| | | | | |
|---|--------------------------|--|---|---|
| <i>P. pedunculata</i> | Matted Bush-pea | | | |
| <i>Pyrorchis nigricans</i> | Black Fire-orchid | | | |
| <i>Ranunculus lappaceus</i> | Native Buttercup | | | |
| <i>R. pachycarpus</i> | Thick-fruit Buttercup | | | R |
| <i>R. sessiliflorus</i> var. <i>sessiliflorus</i> | Annual Buttercup | | | |
| <i>Scaevola albida</i> | Pale Fanflower | | | |
| <i>Schoenus apogon</i> | Common Bog-rush | | | |
| <i>S. nanus</i> | Little Bog-rush | | | R |
| <i>Senecio hypoleucus</i> | Pale Groundsel | | | U |
| <i>S. picridioides</i> | Purple-leaf Groundsel | | | |
| <i>S. quadridentatus</i> | Cotton Groundsel | | | |
| <i>S. sp.</i> | Groundsel | | | |
| <i>Siloxerus multiflorus</i> | Small Wrinklewort | | | |
| <i>Solenogyne dominii</i> | Smooth Solenogyne | | | U |
| <i>Spyridium parvifolium</i> | Dusty Miller | | | |
| <i>Stackhousia aspericocca</i> | Bushy Candles | | | |
| <i>Stuartina muelleri</i> | Spoon Cudweed | | | |
| <i>Stylidium inundatum</i> | Hundreds And Thousands | | | |
| <i>Tetratheca pilosa</i> ssp. <i>pilosa</i> | Hairy Pink-bells | | | |
| <i>Thelymitra antennifera</i> | Lemon Sun-orchid | | | |
| <i>T. aristata</i> | Great Sun-orchid | | | |
| <i>T. ixioides</i> | Spotted Sun-orchid | | | |
| <i>T. luteocilium</i> | Yellow-tuft Sun Orchid | | | |
| <i>T. pauciflora</i> | Slender Sun-orchid | | | |
| <i>T. rubra</i> | Salmon Sun-orchid | | | |
| <i>Themeda triandra</i> | Kangaroo Grass | | | |
| <i>Thysanotus patersonii</i> | Twining Fringe-lily | | | |
| <i>Trachymene pilosa</i> | Dwarf Trachymene | | | |
| <i>Tricoryne elatior</i> | Yellow Rush-lily | | | |
| <i>Triglochin procerum</i> | Water-ribbons | | | U |
| * <i>Ulex europaeus</i> | Gorse | | | |
| <i>Vittadinia gracilis</i> | Woolly New Holland Daisy | | | |
| <i>Wahlenbergia gracilentia</i> | Annual Bluebell | | | |
| <i>W. stricta</i> ssp. <i>stricta</i> | Tall Bluebell | | | |
| <i>Wurmbea dioica</i> ssp. <i>dioica</i> | Early Nancy | | | |
| <i>W. latifolia</i> ssp. <i>vanessae</i> | Broad-leaf Nancy | | R | R |
| <i>Xanthorrhoea semiplana</i> ssp. <i>semiplana</i> | Yacca | | | |

AUS Conservation Status

E 1

SA Conservation Status

E 1

V 1

R 5

SL Conservation Status

E 1

V 2

R 13

K 1

U 17

Indigenous species: 201

Alien species: 8

Total number of species: 209

Surveyor/Source: RLT

Survey dates: 88(1) 96(7,8,11)

Roachdale NT Reserve (Kersbrook)

Section: 318-9